



Lists

CMPU 101 – Problem Solving and Abstraction

Peter Lemieszewski

Introducing: lists



`.row-n` gives us a row in a table...

How can we access all the elements in one column?

A: `get-column`

Example:

```
student-data-cleaned.get-column("house")
```

```
[list: "OTHER", "Main", "Main", "Strong", ...]
```

timestamp	house	stem-level	sleep-hours	schoolwork-hours	student-athlete
"2/09/2022 19:03:33"	"OTHER"	6	4	10	false
"2/09/2022 20:00:52"	"Main"	10	4	7	true
"2/09/2022 20:36:00"	"Main"	8	9	6	true
"2/10/2022 00:15:17"	"Strong"	3	5	7	false
"2/10/2022 13:49:27"	"OTHER"	8	8	5	true
"2/10/2022 13:53:12"	"Davison"	1	7	7	false
"2/10/2022 14:05:47"	"Josselyn"	7	7	5	false
"2/10/2022 14:06:22"	"Strong"	7	8	6	false
"2/10/2022 14:26:46"	"Jewett"	9	6	5	false
"2/10/2022 14:35:15"	"OTHER"	9	7	6	true

[Click to show the remaining 23 rows ...](#)




Introducing: lists for student data

```
houses = [list: "Main", "Strong", "Raymond",  
"Davison", "Lathrop", "Jewett", "Josselyn",  
"Cushing", "Noyes"]
```

```
fun normalize-house(house :: String) -> String:  
  doc: "Return one of the nine Vassar houses or 'Other'"  
  if L.member(houses, house):  
    house  
  else:  
    "Other"  
  end  
where:  
  normalize-house("Main") is "Main"  
  normalize-house("Offcampus") is "Other"  
end
```

houses, pictorially





Using Lists

- To work with lists, the statement:
 - use context essentials2021
- Will provide list capabilities.

Let's play a game!



- Mad Libs
 - Given a part of speech (noun, verb, etc.) create a random word that fits
 - Then, a sentence requiring that part of speech is shown, with that word!
 - In doing so we create a hilarious sentence!
- An example: **Plural-Noun**
 - Answer: **Rocks**

Let's play a game!



- Mad Libs
 - Given a part of speech (noun, verb, etc.) create a random word that fits
 - Then, a sentence requiring that part of speech is shown, with that word!
 - In doing so we create a hilarious sentence!
- An example: **Plural-Noun**
 - Answer: **Rocks**
- The sentence:
 - We saw many **Plural-Noun** on vacation this summer!
- Becomes:
 - We saw many **Rocks** on vacation this summer!



Plural-Noun

Plural-Noun

Plural-Noun

Number

Plural-Noun

Noun

Noun

Noun

Noun

Body-Part

Alphabet-Letter

Plural-Noun

Plural-Noun

Plural-

Noun

Body-Part

Body-Part

Adjective

Noun



Thousands of years ago, there were calendars that enabled the ancient Egyptians to divide a year into twelve months, each month into weeks, and each week into seven days. At first, people told time by a sun clock, sometimes known as the obelisk dial. Ultimately, they invented the great timekeeping devices of today, such as the grandfather clock, the pocket watch, the alarm clock, and, of course, the wristwatch. Children learn about clocks and time almost before they learn their A-B-Cs. They are taught that a day consists of 24 hours, an hour has 60 minutes, and a minute has 60 seconds. By the time they are in Kindergarten, they know if the big hand is at twelve and the little hand is at three, that it is Number o'clock. I wish we could continue this lesson, but we've run out of time.

Q: How can we represent text?



template = "Thousands of Plural-Noun ago, there were calendars that enabled the ancient Plural-Noun to divide a year into twelve Plural-Noun , each month into Number weeks, and each week into seven Plural-Noun . At first, people told time by a sun clock, sometimes known as the Noun dial. Ultimately, they invented the great timekeeping devices of today, such as the grandfather Noun , the pocket Noun , the alarm Noun , and, of course, the Body-Part watch. Children learn about clocks and time almost before they learn their A-B- Alphabet-Letter s. They are taught that a day consists of 24 Plural-Noun , an hour has 60 Plural-Noun , and a minute has 60 Plural-Noun . By the time they are in Kindergarten, they know if the big Body-Part is at twelve and the little Body-Part is at three, that it is Number o'clock. I wish we could continue this Adjective lesson, but we've run out of Noun ."



A: As a *list* of words!

```
template = "Thousands of Plural-Noun ago, ..."
```

```
template-words = string-split-all(template, " ")
```

```
>>> template-words
```

```
[list: "Thousands", "of", "Plural-Noun", "ago", ...]
```

From the documentation



<String> refers to a specific data type

```
string-split-all :: (original-string :: String, string-to-split-on :: String)
-> List<String>
```

Searches for `string-to-split-on` in `original-string`. If it is not found, returns a `List` containing `original-string` as its single element.

If it is found, it returns a `List`, whose elements are the portions of the string that appear in between occurrences of `string-to-split-on`. A match at the beginning or end of the string will add an empty string to the beginning or end of the list, respectively. The empty string matches in between every pair of characters.

Examples:

check:

```
string-split-all("string", "not found") is [list: "string"]
string-split-all("a-b-c", "-") is [list: "a", "b", "c"]
string-split-all("split on spaces", " ") is [list: "split", "on", "spaces"]
string-split-all("explode", "") is [list: "e", "x", "p", "l", "o", "d", "e"]
string-split-all("bananarama", "na") is [list: "ba", "", "rama"]
string-split-all("bananarama", "a") is [list: "b", "n", "n", "r", "m", ""]
```

end

From the documentation



```
string-split-all :: (original-string :: String, string-to-split-on :: String)  
-> List<String>
```

Searches for `string-to-split-on` in `original-string`. If it is not found, returns a `List` containing `original-string` as its single element.

If it is found, it returns a `List`, whose elements are the portions of the string that appear in between occurrences of `string-to-split-on`. A match at the beginning or end of the string will add an empty string to the beginning or end of the list, respectively. The empty string matches in between every pair of characters.

Examples:

check:

```
string-split-all("string", "not found") is [list: "string"]  
string-split-all("a-b-c", "-") is [list: "a", "b", "c"]  
string-split-all("split on spaces", " ") is [list: "split", "on", "spaces"]  
string-split-all("explode", "") is [list: "e", "x", "p", "l", "o", "d", "e"]  
string-split-all("bananarama", "na") is [list: "ba", "", "rama"]  
string-split-all("bananarama", "a") is [list: "b", "n", "n", "r", "m", ""]
```

end



We now return you to our list of words

```
template = "Thousands of Plural-Noun ago, ..."
```

```
template-words = string-split-all(template, " ")
```

#shout out to "Plural-Noun"

```
>>> template-words
```

```
[list: "Thousands", "of", "Plural-Noun", "ago", ...]
```



We now return you to our list of words

```
template = "Thousands of Plural-Noun ago, ..."
```

```
template-words = string-split-all(template, " ")
```

#shout out to "Plural-Noun"

```
>>> template-words
```

```
[list: "Thousands", "of", "Plural-Noun", "ago", ...]
```

Let's diagram what we want to do

"Thousands of Plural-Noun ago, ..."

string-split-all

[list: "Thousands", "of", "Plural-Noun", "ago", ...]

A diagram illustrating the process of splitting a string. At the top, the string "Thousands of Plural-Noun ago, ..." is shown. A black arrow points from this string down to a list representation: [list: "Thousands", "of", "Plural-Noun", "ago", ...]. To the right of the arrow, the text "string-split-all" is written in an italicized font, indicating the operation being performed.

From “Plural-Noun” to “gazebos”

"Thousands of Plural-Noun ago, ..."

string-split-all

[list: "Thousands", "of", "Plural-Noun", "ago", ...]

[list: "Thousands", "of", "gazebos", "ago", ...]

Something like transform-column *but for lists*

From “Plural-Noun” to “gazebos”

"Thousands of Plural-Noun ago, ..."


string-split-all

[list: "Thousands", "of", "Plural-Noun", "ago", ...]

[list: "Thousands", "of", "gazebos", "ago", ...]

Needs a helper function!
like **transform-column** but for lists

substitute-word does what we want



```
substitute-word  
"Thousands" -> "Thousands"  
"Plural-Noun" -> "gazebos"
```

Something like **transform-column** but for lists



- How can we represent a text?

Let's write the helper function substitute-word



```
fun substitute-word(w :: String) -> String:  
  doc: "Substitute a random word if w is a category"  
  ...  
where:  
  substitute-word("Thousands") is "Thousands"  
  substitute-word("Plural-Noun") is ...  
end
```

Just one question – what word should we use?



```
fun substitute-word(w :: String) -> String:  
  doc: "Substitute a random word if w is a category"  
  ...  
where:  
  substitute-word("Thousands") is "Thousands"  
  substitute-word("Plural-Noun") is ...  
end
```



Well, we know what word it isn't (is-not)!

```
fun substitute-word(w :: String) -> String:  
  doc: "Substitute a random word if w is a category"  
  ...  
where:  
  substitute-word("Thousands") is "Thousands"  
  substitute-word("Plural-Noun") is-not "Plural-Noun"  
end
```

Getting closer...



```
plural-nouns = [list: "gazebos", "avocados", "pandas"]
```

```
fun substitute-word(w :: String) -> String:  
  doc: "Substitute a random word if w is a category"  
  ...  
where:  
  substitute-word("Thousands") is "Thousands"  
  substitute-word("Plural-Noun") is-not "Plural-Noun"  
  member(  
    plural-nouns,  
    substitute-word("Plural-Noun"))  
  is true  
end
```

Getting closer... but we want some randomness!



```
plural-nouns = [list: "gazebos", "avocados", "pandas"]
```

```
fun substitute-word(w :: String) -> String:  
  doc: "Substitute a random word if w is a category"  
  if w == "Plural-Noun":  
    ...  
  else:  
    w  
  end  
where:  
  ...  
end
```


Ripped from the documentation

A screenshot of a web browser window displaying the Python documentation for the `num-random` module. The browser's address bar shows the URL `www.pyret.org/docs/latest/numbers.html#%28part_numbers_num`. The page title is "3.2.5 Random Numbers".
num-random :: (max :: Number) -> Number
Returns a pseudo-random positive integer from 0 to max - 1.
Examples:

```
check:  
  fun between(min, max):  
    lam(v): (v >= min) and (v <= max) end  
  end  
  for each(i from range(0, 100)):  
    block:  
      n = num-random(10)  
      print(n)  
      n satisfies between(0, 10 - 1)  
    end  
  end  
end
```

num-random-seed :: (seed :: Number) -> Nothing
Sets the random seed. Setting the seed to a particular number makes all future uses of random produce the same sequence of numbers. Useful for testing and debugging functions that have random behavior.
Examples:

```
check:  
  num-random-seed(0)  
  n = num-random(1000)  
  n2 = num-random(1000)  
  
  n is-not n2  
  
  num-random-seed(0)
```

Ok... how do we get from random number to...



3.2.5 Random Numbers

```
num-random :: (max :: Number) -> Number
```

Returns a pseudo-random positive integer from 0 to `max - 1`.

Examples:

```
check:
  fun between(min, max):
    lam(v): (v >= min) and (v <= max) end
  end
  for each(i from range(0, 100)):
    block:
      n = num-random(10)
      print(n)
      n satisfies between(0, 10 - 1)
    end
  end
end
```

```
num-random-seed :: (seed :: Number) -> Nothing
```

Sets the random seed. Setting the seed to a particular number makes all future uses of random produce the same sequence of numbers. Useful for testing and debugging functions that have random behavior.

Examples:

```
check:
  num-random-seed(0)
  n = num-random(1000)
  n2 = num-random(1000)

  n is-not n2

  num-random-seed(0)
```



...a random list item?

- With a table, we use `.row-n` to get a specific row by its index number.
- With a list, we can use `get` to get an item.



...a random list item?

- With a table, we use `.row-n` to get a specific row by its index number.
- With a list, we can use `get` to get an item.
- So...
 - Get a random number. Then,
 - Get list element(item) positioned at that number

Adding randomness to our code



```
plural-nouns = [list: "gazebos", "avocados", "pandas"]
```

```
fun substitute-word(w :: String) -> String:  
  doc: "Substitute a random word if w is a category"  
  if w == "Plural-Noun": #we want a Plural Noun!  
    ...  
  else:  
    w  
  end  
where:  
  ...  
end
```

Adding randomness to our code



```
plural-nouns = [list: "gazebos", "avocados", "pandas"]
```

```
fun substitute-word(w :: String) -> String:  
  doc: "Substitute a random word if w is a category"  
  if w == "Plural-Noun":  
    rand = num-random(3) #we have 3 items in our plural-nouns list  
    get(plural-nouns, rand)  
  else:  
    w  
  end  
where:  
  else:  
    w  
  end  
where:  
  ...  
end
```

Q:Do we have to know how many plural-nouns we have?



```
plural-nouns = [list: "gazebos", "avocados", "umiaks", "pandas"]
```

```
fun substitute-word(w :: String) -> String:  
  doc: "Substitute a random word if w is a category"  
  if w == "Plural-Noun":  
    rand = num-random(3) #we have 3 items in our plural-nouns list... oops, no we don't  
    get(plural-nouns, rand)  
  else:  
    w  
  end  
where:  
  else:  
    w  
  end  
where:  
  ...  
end
```

A: No, we don't!



```
plural-nouns = [list: "gazebos", "avocados", "umiaks", "pandas"]
```

```
fun substitute-word(w :: String) -> String:  
  doc: "Substitute a random word if w is a category"  
  if w == "Plural-Noun":  
    rand = num-random(length(plural-nouns))  
    get(plural-nouns, rand)  
  else:  
    w  
  end  
where:  
  else:  
    w  
  end  
where:  
  ...  
end
```


The other parts of speech (data) for our madlib



plural-nouns =

[list: "gazebos", "avocados", "umiaks", "pandas"]

numbers =

[list: "-1", "42", "a billion"]

nouns =

[list: "apple", "computer", "borscht"]

body-parts =

[list: "elbow", "head", "spleen"]

alphabet-letters =

[list: "A", "C", "Z"]

adjectives =

[list: "funky", "boring"]

Getting the rest of the random words



```
plural-nouns = [list: "gazebos", "avocados", "umiaks", "pandas"]
```

```
fun substitute-word(w :: String) -> String:  
  doc: "Substitute a random word if w is a category"  
  if w == "Plural-Noun":  
    rand = num-random(length(plural-nouns))  
    get(plural-nouns, rand)  
  else if w == "Numbers":  
    rand = etc. etc. etc.  
  else if w == "Nouns":  
    rand = etc. etc. etc.  
  
  end  
where:  
  else:  
    w  
  end  
where:  
  ...  
end
```

Getting the rest of the random words



```
plural-nouns = [list: "gazebos", "avocados", "umiaks", "pandas"]
```

```
fun substitute-word(w :: String) -> String:  
  doc: "Substitute a random word if w is a category"  
  if w == "Plural-Noun":  
    rand = num-random(length(plural-nouns))  
    get(plural-nouns, rand)  
  else if w == "numbers":  
    rand = etc. etc. etc.  
  else if w == "nouns":  
    rand = etc. etc. etc.  
  
  end  
where:  
  else:  
    w  
  end  
where:  
  ...  
end
```

Can we generalize this code even further? Specially those calls to num-random?
Yes we can!

Generalizing the call to num-random



#address need for general utility that gives us a random word.

```
fun rand-word(l :: List<String>) -> String:
```

```
  doc: "Return a random word in the given list"
```

```
  rand = num-random(length(l))
```

```
  get(l, rand)
```

```
where:
```

```
  member(plural-nouns, rand-word(plural-nouns))
```

```
  is true
```

```
end
```

Completing the helper function...



```
fun substitute-word(w :: String) -> String:
  doc: "Substitute a random word if w is a category"
  if w == "Plural-Noun":
    rand-word(plural-nouns)
  else if w == "Number":
    rand-word(numbers)
  else if w == "Noun":
    rand-word(nouns)
  else if w == "Body-Part":
    rand-word(body-parts)
  else if w == "Alphabet-Letter":
    rand-word(alphabet-letters)
  else if w == "Adjective":
    rand-word(adjectives)
  else:
    w
  end
end
```



Back to our task plan

- We've completed our helper,
- Now we need to run it on every word in the list, the same way
- **transform-column**
- runs a function on every row of a table.



Back to our task plan

- We've completed our helper, **substitute-word**!
- Now we need to run it on every word in the list, the same way
- **transform-column**
- runs a function on every row of a table.

- This is the way: **map**



Mad-libs so far...

```
fun mad-libs(t :: List<String>) -> String:  
  doc: "Randomly fill in the blanks in the mad libs template"  
  map(substitute-word, t) #like transform-column  
end
```




Mad-libs so far... actually...

```
fun mad-libs(t :: List<String>) -> String:  
  doc: "Actually... This only returns a list of strings "  
  map(substitute-word, t) #like transform-column  
end
```

... to the string documentation!



```
join-str :: (lst :: List<A>, sep :: String) -> String
```

Examples:

```
check:
  [list: 1, 2, 3].join-str("; ") is "1; 2; 3"
  [list: "a", true, -5.3].join-str(" : ") is "a : true : -5.3"
  empty.join-str("nothing at all") is ""
end
```

```
range :: (start :: Number, stop :: Number) -> List<Number>
```

Creates a list of numbers, starting with start, ending with stop-1

Examples:

```
check:
  range(0, 0) is [list: ]
  range(0, 1) is [list: 0]
  range(-5, 5) is [list: -5, -4, -3, -2, -1, 0, 1, 2, 3, 4]
end
```

```
range-by :: (
  start :: Number,
  stop :: Number,
  delta :: Number
)
-> List<Number>
```

Creates a list of numbers, starting with start, in intervals of delta, until reaching (but not including) stop

Examples:

```
import lists as L
```



Mad-libs: final version

```
fun mad-libs(t :: List<String>) -> String:  
  doc: "Randomly fill in the blanks in the mad libs template"  
  # map(substitute-word, t) used on next line.  
  
  with-subs = map(substitute-word, t)  
  join-str(with-subs, " ")  
  
end
```

Link to code



- <https://code.pyret.org/editor#share=1gNCCr9cAxOFqewY3Wx221gSqV-JQho5n&v=31c9aaf>



Acknowledgements

- This lecture incorporates material from:
- Kathi Fisler, Brown University,
- Jason Waterman, Vassar College
- And, Jonathan Gordon, Vassar College